

24" A-Series Enhanced Entertainment Patient Televisions

MODEL NUMBER PDI-A24A



Simple TV



Enhanced medTV

Built-in smart apps, no internet required, easy pillow speaker control



medTV²⁴

Compatible Mounts


	LOW-PROFILE FLAT MOUNT	ARTICULATING WALL MOUNTS		PAN & TILT MOUNT	CEILING GRID MOUNTS		TABLE STAND OUT OF STOCK	BOLT-DOWN TABLE STAND	
Mount									
	PD168-103 Sleek design positions the TV 4.4" (11 cm) away from the wall. Weighs 1.1 lbs.	PD181-701 Extends the TV 7.9" (20 cm) away from the wall. Weighs 2.5 lbs. <i>Does not work with DVD Module.</i>	PD181-700 Extends the TV 12.6" (32 cm) away from the wall. Weighs 1.9 lbs. <i>Does not work with DVD Module.</i>	PD181-722 Extends the TV 12.2" (31 cm) away from the wall. Weighs 4.8 lbs.	PD181-606 3" extension. Positions TV 7.4" away from the wall. <i>For longer lengths, call for details.</i> Requires PD168-103 flat mount. <i>(order separately)</i>	PDI-LCD-GRID-MT Grid mount ceiling support. Requires PD168-103 flat mount. <i>(order separately)</i> <i>Ask about high-tilt option and column extensions available from 2 FT to 6 FT lengths.</i>	PDI-DUAL-GRID-MT Grid mount ceiling support for two displays. Requires PD168-103 flat mounts. <i>(order separately)</i> <i>Ask about high-tilt option and column extensions available from 2 FT to 6 FT lengths.</i>	PD168-227 Freestanding, slim line curved TV table stand legs. Supports 25 lbs.	PD181-618 Secure bolt-down table stand with 18" ht. <i>Ask about pan & tilt accessories.</i>
Optional Accessories	PD108-420 Programming Remote PD108-421 Patient Remote WTG-A24 Premium Warranty PD251-043-1 DVD Module PD251-046 Bottom DVD Kit PD251-033 Side DVD Kit PD890-1009 RF-HEMIS	PD108-420 Programming Remote PD108-421 Patient Remote WTG-A24 Premium Warranty PD890-1009 RF-HEMIS	PD108-420 Programming Remote PD108-421 Patient Remote WTG-A24 Premium Warranty PD890-1009 RF-HEMIS	PD108-420 Programming Remote PD108-421 Patient Remote WTG-A24 Premium Warranty PD251-043-1 DVD Module PD251-046 Bottom DVD Kit PD251-033 Side DVD Kit PD890-1009 RF-HEMIS	PD108-420 Programming Remote PD108-421 Patient Remote WTG-A24 Premium Warranty PD251-043-1 DVD Module PD251-046 Bottom DVD Kit PD251-033 Side DVD Kit PD890-1009 RF-HEMIS	PD108-420 Programming Remote PD108-421 Patient Remote WTG-A24 Premium Warranty PD168-039 40deg to 55deg high tilt kit PD251-043-1 DVD Module PD251-046 Bottom DVD Kit PD251-033 Side DVD Kit PD890-1009 RF-HEMIS	PD108-420 Programming Remote PD108-421 Patient Remote WTG-A24 Premium Warranty PD240-003-6FT 6FT Extension PD168-039 40deg to 55deg high tilt kit PD251-043-1 DVD Module PD251-046 Bottom DVD Kit PD251-033 Side DVD Kit PD890-1009 RF-HEMIS	PD108-420 Programming Remote PD108-421 Patient Remote WTG-A24 Premium Warranty PD251-043-1 DVD Module PD251-046 Bottom DVD Kit PD251-033 Side DVD Kit PD890-1009 RF-HEMIS	PD108-420 Programming Remote PD108-421 Patient Remote WTG-A24 Premium Warranty PD181-618-PAN Pan & Tilt PD168-004 Pan Option Kit PD251-043-1 DVD Module PD251-046 Bottom DVD Kit PD251-033 Side DVD Kit PD890-1009 RF-HEMIS

24"
Large-screen
TV Mounting
Options

*Enhanced entertainment,
no internet required*

Model Number PDI-A24A

Typical I/O Connectors



*Typical connections. Placement varies by model.

DVD Module and DVD Mounting Kits


- PD251-043-1 Module
- PD251-046 Bottom Mount Kit
- PD251-033 Side Mount Kit



VESA Pattern

VESA mount is 100x100, 4mm threads.

- A: 9.1 inches | 230.2 mm
- B: 9.1 inches | 230.2 mm
- C: 4.6 inches | 116.6 mm
- D: 4.6 inches | 115.9 mm



RF-HEMiS Head-end TV Management

PD890-1009

CENTRALIZED ON-SITE HEAD-END MANAGEMENT INTEGRATED TV SYSTEM

- Eliminates labor-intensive individual PDI TV touches with centralized user-friendly software
- No limit to the number of clone files that can be managed at one time
- Expedites TV installation by distributing clone files from a central location
- Automatically sends data over coax. TVs automatically receive the data when TV is powered off or on-demand
- A cost-effective solution that ensures TV setting consistency, just the way you want.



Shown here: PD890-1009, RF-HEMiS rack unit, front and back



medTV²⁴

DVD and TV Cloning Options

Healthcare Features

Model Number PDI-A24A



HEALTHCARE TV FEATURES

Auto Power On	Yes	Direct Access to Source from Pillow Speaker	Yes	Channel Tiers	3 (Free/Basic/Premium)
Pro:Idiom®	Yes	Multi-Bed Codes A/B/C/D	Yes	Digital Channel Autoscan and On/Off Capability	Yes
Min/Max Volume Limiter	Yes	Power-on Volume	Yes	Programmable Source Selection	Yes
Internal Speaker Disable	Yes	RF Cloning (RF-HEMiS)	Yes	Channel Enable/Disable	Yes
USB Cloning	Yes	Selectable Pillow Speaker	+12VDC, +5VDC, OFF, -5VDC	Parental Control (V-CHIP)	Yes
Universal Pillow Speaker Recognition	Yes	Internal Speaker Disable	Yes	Sleep Timer	Yes
		Power-on Volume	Yes	OSD Language	English/Spanish/French
		Internal Speaker Disable	Yes	SI Control Port	CCI/MTI/Smart Port
		USB Cloning	Yes	IR OUT	YES (MTI Port)
		RF Cloning (RF-HEMiS)	Yes		
		Selectable Pillow Speaker	+12VDC, +5VDC, OFF, -5VDC		
		Universal Pillow Speaker Recognition	Yes		

AUDIO/VIDEO BROADCAST SYSTEMS

Aspect Ratio	16:9, 4:3
NTSC/ATSC/Clear QAM	Air VHF/UHF, CATV, IRC, HRC
MPEG4/Pro:Idiom	Yes
Supported Formats	1080p/1080i/720p/576p/576i/480p/480i
Speakers/Audio Output Power	2 x 3W RMS
Analog Channels	Mono/Stereo/SAP
Digital Channels	Multilingual
Tone Control Balance	Custom/Flat/Music/Movie/Speech
Source Input Leveling (AVC)	Yes
Wireless Audio	Yes
Dolby Audio	2 ch

INPUT/OUTPUT

AC	IEC Male, Hospital-grade
USB Port (Cloning/Firmware Updates/Multimedia Use)	Yes, 2
RF Input	Yes
HDMI/HDCP Input	Yes, 2
CCI	Yes
MTI/SmartPort	Yes
DVD Module Port	Yes
Pillow Speaker I/O	Yes, 3 conductor 1/4" female
Ethernet	Yes
WiFi	Yes

POWER & POWER-SAVING FEATURES

Power Source	120V +/-15%, 60Hz
Inactive Power Off	Configurable Timer
Hardwired Power Cord	No

CERTIFICATIONS

UL/cUL 60065, Annex Q	Yes
FCC Title 47 Part 15	Yes
RoHS	Yes

Compatible with leading interactive patient software systems*



*Some interactive software may require an external device.

32" A-Series Enhanced Entertainment Patient Televisions

MODEL NUMBER PDI-A32A



Simple TV










Enhanced medTV

Built-in smart apps, no internet required, easy pillow speaker controls



Compatible Mounts

	LOW-PROFILE FLAT MOUNT	ARTICULATING WALL MOUNT	PAN & TILT MOUNT	CEILING GRID MOUNTS		TABLE STAND	BOLT-DOWN TABLE STAND
Mount						 OUT OF STOCK	
	PD168-051 Sleek design positions the TV 7" (18 cm) away from the wall. Weighs 2.1 lbs.	PD181-722 Extends the TV 12.2" (31 cm) away from the wall. Weighs 4.8 lbs.	PD181-606 3" extension. Positions TV 7.4" away from the wall. <i>For longer lengths, call for details.</i> Requires PD168-051 flat mount. <i>(order separately)</i>	PDI-LCD-GRID-MT Grid mount ceiling support. Requires PD168-051 flat mount. <i>(order separately)</i> <i>Ask about high-tilt option and column extensions available from 2 FT to 6 FT lengths.</i>	PDI-DUAL-GRID-MT Grid mount ceiling support for two displays. Requires PD168-051 flat mounts. <i>(order separately)</i> <i>Ask about high-tilt option and column extensions available from 2 FT to 6 FT lengths.</i>	PD168-227 Freestanding, slim line curved TV table stand legs. Supports 25 lbs.	PD181-618 Secure bolt-down table stand with 18" ht. <i>Ask about pan & tilt accessories.</i>
Optional Accessories	PD108-420 Programming Remote	PD108-420 Programming Remote	PD108-420 Programming Remote	PD108-420 Programming Remote	PD108-420 Programming Remote	PD108-420 Programming Remote	PD108-420 Programming Remote
	PD108-421 Patient Remote	PD108-421 Patient Remote	PD108-421 Patient Remote	PD108-421 Patient Remote	PD108-421 Patient Remote	PD108-421 Patient Remote	PD108-421 Patient Remote
	WTG-A32 Premium Warranty	WTG-A32 Premium Warranty	WTG-A32 Premium Warranty	WTG-A32 Premium Warranty	WTG-A32 Premium Warranty	WTG-A32 Premium Warranty	WTG-A32 Premium Warranty
	PD251-043-1 DVD Module	PD251-043-1 DVD Module	PD251-043-1 DVD Module	PD240-003-6FT 6FT Extension	PD168-039 40deg to 55deg high tilt kit	PD251-043-1 DVD Module	PD181-618-PAN Pan & Tilt
	PD251-045 Bottom DVD Kit	PD251-045 Bottom DVD Kit	PD251-045 Bottom DVD Kit	PD168-039 40deg to 55deg high tilt kit	PD251-043-1 DVD Module	PD251-045 Bottom DVD Kit	PD168-004 Pan Option Kit
	PD251-034 Side DVD Kit	PD251-034 Side DVD Kit	PD251-034 Side DVD Kit	PD251-043-1 DVD Module	PD251-045 Bottom DVD Kit	PD251-034 Side DVD Kit	PD251-043-1 DVD Module
	PD890-1009 RF-HEMIS	PD890-1009 RF-HEMIS	PD890-1009 RF-HEMIS	PD251-045 Bottom DVD Kit	PD251-034 Side DVD Kit	PD890-1009 RF-HEMIS	PD251-045 Bottom DVD Kit
			PD251-034 Side DVD Kit	PD890-1009 RF-HEMIS		PD251-034 Side DVD Kit	
			PD890-1009 RF-HEMIS			PD890-1009 RF-HEMIS	


medTV³²

32" Large-screen TV Mounting Options

Enhanced entertainment, no internet required

Model Number PDI-A32A

Typical I/O Connectors



*Typical connections. Placement varies by model.

DVD Module and DVD Mounting Kits


- PD251-043-1 Module
- PD251-045 Bottom Mount Kit
- PD251-034 Side Mount Kit



VESA Pattern

VESA mount is 100x200, 6mm threads.

- A: 10.7 inches | 270.8 mm
- B: 10.7 inches | 270.8 mm
- C: 4.9 inches | 125.6 mm
- D: 8.3 inches | 209.6 mm



RF-HEMiS Head-end TV Management

PD890-1009

CENTRALIZED ON-SITE HEAD-END MANAGEMENT INTEGRATED TV SYSTEM

- Eliminates labor-intensive individual PDI TV touches with centralized user-friendly software
- No limit to the number of clone files that can be managed at one time
- Expedites TV installation by distributing clone files from a central location
- Automatically sends data over coax. TVs automatically receive the data when TV is powered off or on-demand
- A cost-effective solution that ensures TV setting consistency, just the way you want.



Shown here: PD890-1009, RF-HEMiS rack unit, front and back



medTV³²

DVD and TV Cloning Options

Healthcare Features

Model Number PDI-A32A



Pro:Idiom



DOLBY AUDIO™

HEALTHCARE TV FEATURES

Auto Power On	Yes
Pro:Idiom®	Yes
Multi-Bed Codes A/B/C/D	Yes
Min/Max Volume Limiter	Yes
Power-on Volume	Yes
Internal Speaker Disable	Yes
USB Cloning	Yes
RF Cloning (RF-HEMiS)	Yes
Selectable Pillow Speaker	+12VDC, +5VDC, OFF, -5VDC
Universal Pillow Speaker Recognition	Yes

Direct Access to Source from Pillow Speaker	Yes
Programmable Source Selection	Yes
Channel Enable/Disable	Yes
Parental Control (V-CHIP)	Yes
Sleep Timer	Yes
OSD Language	English/Spanish/French
SI Control Port	CCI/MTI/Smart Port
IR OUT	YES (MTI Port)

Channel Tiers	3 (Free/Basic/Premium)
Digital Channel Autoscan and On/Off Capability	Yes
Customizable Power On Splash Screen	Yes
UL Hospital Safety	Yes
Setup Menu Password Lock	Yes
Set-up Wizard	Yes
Pre-loaded Apps	Yes
Android O/S	7.0 Nougat

AUDIO/VIDEO BROADCAST SYSTEMS

Aspect Ratio	16:9, 4:3
NTSC/ATSC/Clear QAM	Air VHF/UHF, CATV, IRC, HRC
MPEG4/Pro:Idiom	Yes
Supported Formats	1080p/1080i/720p/576p/576i/480p/480i
Speakers/Audio Output Power	2 x 5W RMS
Analog Channels	Mono/Stereo/SAP
Digital Channels	Multilingual
Tone Control Balance	Custom/Flat/Music/Movie/Speech
Source Input Leveling (AVC)	Yes
Wireless Audio	Yes
Dolby Audio	2 ch

INPUT/OUTPUT

AC	IEC Male, Hospital-grade
USB Port (Cloning/Firmware Updates/Multimedia Use)	Yes, 2
RF Input	Yes
HDMI/HDCP Input	Yes, 2
CCI	Yes
MTI/SmartPort	Yes
DVD Module Port	Yes
Pillow Speaker I/O	Yes, 3 conductor 1/4" female
Ethernet	Yes
WiFi	Yes

POWER & POWER-SAVING FEATURES

Power Source	120V +/-15%, 60Hz
Inactive Power Off	Configurable Timer
Hardwired Power Cord	No

CERTIFICATIONS

UL/cUL 60065, Annex Q	Yes
FCC Title 47 Part 15	Yes
RoHS	Yes

Compatible with leading interactive patient software systems*



*Some interactive software may require an external device.

42" A-Series Enhanced Entertainment Patient Televisions

MODEL NUMBER PDI-A42A



Simple TV










Enhanced medTV

Built-in smart apps, no internet required, easy pillow speaker controls



Compatible Mounts

	LOW-PROFILE FLAT MOUNT	ARTICULATING WALL MOUNT	PAN & TILT MOUNT	CEILING GRID MOUNTS		TABLE STAND	BOLT-DOWN TABLE STAND
Mount							
	PD168-033 Sleek design positions the TV close to the wall. Weighs 3.6 lbs.	PD181-707 Extends the TV slightly over 12" (30 cm) away from the wall. Weighs 5.9 lbs.	PD181-606 3" extension. Positions TV 7.4" away from the wall. <i>For longer lengths, call for details.</i> Requires PD168-033 flat mount. <i>(order separately)</i>	PDI-LCD-GRID-MT Grid mount ceiling support. Requires PD168-033 flat mount. <i>Ask about high-tilt option and column extensions available from 2 FT to 6 FT lengths.</i>	PDI-DUAL-GRID-MT Grid mount ceiling support for two displays. Requires PD168-033 flat mount. <i>Ask about high-tilt option and column extensions available from 2 FT to 6 FT lengths.</i>	PD168-227 Freestanding, slim line curved TV table stand legs. Supports 25 lbs.	PD181-660 Secure bolt-down table stand with 18" ht. <i>Ask about pan & tilt accessories.</i>
Optional Accessories	PD108-420 Programming Remote	PD108-420 Programming Remote	PD108-420 Programming Remote	PD108-420 Programming Remote	PD108-420 Programming Remote	PD108-420 Programming Remote	PD108-420 Programming Remote
	PD108-421 Patient Remote	PD108-421 Patient Remote	PD108-421 Patient Remote	PD108-421 Patient Remote	PD108-421 Patient Remote	PD108-421 Patient Remote	PD108-421 Patient Remote
	WTG-A42 Premium Warranty	WTG-A42 Premium Warranty	WTG-A42 Premium Warranty	WTG-A42 Premium Warranty	WTG-A42 Premium Warranty	WTG-A42 Premium Warranty	WTG-A42 Premium Warranty
	PD251-043-1 DVD Module	PD251-043-1 DVD Module	PD251-043-1 DVD Module	PD240-003-6FT 6FT Extension	PD168-039 40deg to 55deg high tilt kit	PD251-043-1 DVD Module	PD181-660-PAN Pan & Tilt
	PD251-042 Bottom DVD Kit	PD251-042 Bottom DVD Kit	PD251-042 Bottom DVD Kit	PD168-039 40deg to 55deg high tilt kit	PD251-043-1 DVD Module	PD251-042 Bottom DVD Kit	PD168-004 Pan Option Kit
	PD251-035 Side DVD Kit	PD251-035 Side DVD Kit	PD251-035 Side DVD Kit	PD251-043-1 DVD Module	PD251-042 Bottom DVD Kit	PD251-035 Side DVD Kit	PD251-043-1 DVD Module
	PD890-1009 RF-HEMIS	PD890-1009 RF-HEMIS	PD890-1009 RF-HEMIS	PD251-042 Bottom DVD Kit	PD251-035 Side DVD Kit	PD890-1009 RF-HEMIS	PD251-042 Bottom DVD Kit
			PD251-035 Side DVD Kit	PD890-1009 RF-HEMIS		PD251-035 Side DVD Kit	
			PD890-1009 RF-HEMIS			PD890-1009 RF-HEMIS	


medTV⁴²

42" Large-screen TV Mounting Options

Enhanced entertainment, no internet required

Model Number PDI-A42A

Typical I/O Connectors



*Typical connections. Placement varies by model.

DVD Module and DVD Mounting Kits


- PD251-043-1 Module
- PD251-042 Bottom Mount Kit
- PD251-035 Side Mount Kit



VESA Pattern

VESA mount is 200x200, 6mm threads.

- A: 14.9 inches | 379.1 mm
- B: 14.9 inches | 379.1 mm
- C: 6.3 inches | 159.3 mm
- D: 7.8 inches | 196.8 mm



RF-HEMiS Head-end TV Management

PD890-1009

CENTRALIZED ON-SITE HEAD-END MANAGEMENT INTEGRATED TV SYSTEM

- Eliminates labor-intensive individual PDI TV touches with centralized user-friendly software
- No limit to the number of clone files that can be managed at one time
- Expedites TV installation by distributing clone files from a central location
- Automatically sends data over coax. TVs automatically receive the data when TV is powered off or on-demand
- A cost-effective solution that ensures TV setting consistency, just the way you want.



Shown here: PD890-1009, RF-HEMiS rack unit, front and back



medTV⁴²

DVD and TV Cloning Options

Healthcare Features

Model Number PDI-A42A



Pro:Idiom



DOLBY AUDIO™

HEALTHCARE TV FEATURES

Auto Power On	Yes
Pro:Idiom®	Yes
Multi-Bed Codes A/B/C/D	Yes
Min/Max Volume Limiter	Yes
Power-on Volume	Yes
Internal Speaker Disable	Yes
USB Cloning	Yes
RF Cloning (RF-HEMiS)	Yes
Selectable Pillow Speaker	+12VDC, +5VDC, OFF, -5VDC
Universal Pillow Speaker Recognition	Yes

Direct Access to Source from Pillow Speaker	Yes
Programmable Source Selection	Yes
Channel Enable/Disable	Yes
Parental Control (V-CHIP)	Yes
Sleep Timer	Yes
OSD Language	English/Spanish/French
SI Control Port	CCI/MTI/Smart Port
IR OUT	YES (MTI Port)

Channel Tiers	3 (Free/Basic/Premium)
Digital Channel Autoscan and On/Off Capability	Yes
Customizable Power On Splash Screen	Yes
UL Hospital Safety	Yes
Setup Menu Password Lock	Yes
Set-up Wizard	Yes
Pre-loaded Apps	Yes
Android O/S	7.0 Nougat

AUDIO/VIDEO BROADCAST SYSTEMS

Aspect Ratio	16:9, 4:3
NTSC/ATSC/Clear QAM	Air VHF/UHF, CATV, IRC, HRC
MPEG4/Pro:Idiom	Yes
Supported Formats	1080p/1080i/720p/576p/576i/480p/480i
Speakers/Audio Output Power	2 x 5W RMS
Analog Channels	Mono/Stereo/SAP
Digital Channels	Multilingual
Tone Control Balance	Custom/Flat/Music/Movie/Speech
Source Input Leveling (AVC)	Yes
Wireless Audio	Yes
Dolby Audio	2 ch

INPUT/OUTPUT

AC	IEC Male, Hospital-grade
USB Port (Cloning/Firmware Updates/Multimedia Use)	Yes, 2
RF Input	Yes
HDMI/HDCP Input	Yes, 2
CCI	Yes
MTI/SmartPort	Yes
DVD Module Port	Yes
Pillow Speaker I/O	Yes, 3 conductor 1/4" female
Ethernet	Yes
WiFi	Yes

POWER & POWER-SAVING FEATURES

Power Source	120V +/-15%, 60Hz
Inactive Power Off	Configurable Timer
Hardwired Power Cord	No

CERTIFICATIONS

UL/cUL 60065, Annex Q	Yes
FCC Title 47 Part 15	Yes
RoHS	Yes

Compatible with leading interactive patient software systems*



*Some interactive software may require an external device.

55" A-Series Enhanced Entertainment Patient Televisions

MODEL NUMBER PDI-A55A



Simple TV




Enhanced medTV

Built-in smart apps, no internet required, easy pillow speaker controls



medTV⁵⁵

Compatible Mounts


	LOW-PROFILE FLAT MOUNT	ARTICULATING WALL MOUNTS	PAN & TILT MOUNT	CEILING GRID MOUNTS		TABLE STAND	BOLT-DOWN TABLE STAND
Mount							
	<i>Call for more info</i>	<i>Call for more info</i>	PD181-606 3" extension. Positions TV 7.4" away from the wall. <i>For longer lengths, call for details.</i> Requires PD168-226 flat mount. (order separately)	PDI-LCD-GRID-MT Grid mount ceiling support. Requires PD168-226 flat mount. (order separately) <i>Ask about high-tilt option and column extensions available from 2 FT to 6 FT lengths.</i>	PDI-DUAL-GRID-MT Grid mount ceiling support for two displays. Requires PD168-226 flat mount. (order separately) <i>Ask about high-tilt option and column extensions available from 2 FT to 6 FT lengths.</i>	<i>Call for more info</i>	PD181-660 Secure bolt-down table stand with 18" ht. <i>Ask about pan & tilt accessories.</i>
Optional Accessories	PD108-420 Programming Remote PD108-421 Patient Remote WTG-A55 Premium Warranty PD251-043-1 DVD Module PD251-048 Bottom DVD Kit PD890-1009 RF-HEMIS	PD108-420 Programming Remote PD108-421 Patient Remote WTG-A55 Premium Warranty PD251-043-1 DVD Module PD251-048 Bottom DVD Kit PD890-1009 RF-HEMIS	PD108-420 Programming Remote PD108-421 Patient Remote WTG-A55 Premium Warranty PD251-043-1 DVD Module PD251-048 Bottom DVD Kit PD890-1009 RF-HEMIS	PD108-420 Programming Remote PD108-421 Patient Remote WTG-A55 Premium Warranty PD240-003-6FT 6FT Extension PD168-039 40deg to 55deg high tilt kit PD251-043-1 DVD Module PD251-048 Bottom DVD Kit PD890-1009 RF-HEMIS	PD108-420 Programming Remote PD108-421 Patient Remote WTG-A55 Premium Warranty PD168-039 40deg to 55deg high tilt kit PD251-043-1 DVD Module PD251-048 Bottom DVD Kit PD890-1009 RF-HEMIS	PD108-420 Programming Remote PD108-421 Patient Remote WTG-A55 Premium Warranty PD251-043-1 DVD Module PD251-048 Bottom DVD Kit PD890-1009 RF-HEMIS	PD108-420 Programming Remote PD108-421 Patient Remote WTG-A55 Premium Warranty PD181-660-PAN Pan & Tilt PD168-004 Pan Option Kit PD251-043-1 DVD Module PD251-048 Bottom DVD Kit PD890-1009 RF-HEMIS

55"
Large-screen
TV Mounting
Options

*Enhanced entertainment,
no internet required*

Model Number PDI-A55A

Typical I/O Connectors



*Typical connections. Placement varies by model.

DVD Module and DVD Mounting Kits


PD251-043-1 Module
PD251-048 Bottom Mount Kit



VESA Pattern

VESA mount is 300x300, 6mm threads.

A: 18.5 inches | 469.7 mm
B: 18.5 inches | 469.7 mm
C: 1.2 inches | 29.0 mm
D: 15.1 inches | 382.9 mm



RF-HEMiS Head-end TV Management

PD890-1009

CENTRALIZED ON-SITE HEAD-END MANAGEMENT INTEGRATED TV SYSTEM

- Eliminates labor-intensive individual PDI TV touches with centralized user-friendly software
- No limit to the number of clone files that can be managed at one time
- Expedites TV installation by distributing clone files from a central location
- Automatically sends data over coax. TVs automatically receive the data when TV is powered off or on-demand
- A cost-effective solution that ensures TV setting consistency, just the way you want.



Shown here: PD890-1009, RF-HEMiS rack unit, front and back



medTV⁵⁵

DVD and TV Cloning Options

Healthcare Features

Model Number PDI-A55A



Pro:Idiom



DOLBY AUDIO™

HEALTHCARE TV FEATURES

Auto Power On	Yes
Pro:Idiom®	Yes
Multi-Bed Codes A/B/C/D	Yes
Min/Max Volume Limiter	Yes
Power-on Volume	Yes
Internal Speaker Disable	Yes
USB Cloning	Yes
RF Cloning (RF-HEMiS)	Yes
Selectable Pillow Speaker	+12VDC, +5VDC, OFF, -5VDC
Universal Pillow Speaker Recognition	Yes

Direct Access to Source from Pillow Speaker	Yes
Programmable Source Selection	Yes
Channel Enable/Disable	Yes
Parental Control (V-CHIP)	Yes
Sleep Timer	Yes
OSD Language	English/Spanish/French
SI Control Port	CCI/MTI/Smart Port
IR OUT	YES (MTI Port)

Channel Tiers	3 (Free/Basic/Premium)
Digital Channel Autoscan and On/Off Capability	Yes
Customizable Power On Splash Screen	Yes
UL Hospital Safety	Yes
Setup Menu Password Lock	Yes
Set-up Wizard	Yes
Pre-loaded Apps	Yes
Android O/S	7.0 Nougat

AUDIO/VIDEO BROADCAST SYSTEMS

Aspect Ratio	16:9, 4:3
NTSC/ATSC/Clear QAM	Air VHF/UHF, CATV, IRC, HRC
MPEG4/Pro:Idiom	Yes
Supported Formats	1080p/1080i/720p/576p/576i/480p/480i
Speakers/Audio Output Power	2 x 5W RMS
Analog Channels	Mono/Stereo/SAP
Digital Channels	Multilingual
Tone Control Balance	Custom/Flat/Music/Movie/Speech
Source Input Leveling (AVC)	Yes
Wireless Audio	Yes
Dolby Audio	2 ch

INPUT/OUTPUT

AC	IEC Male, Hospital-grade
USB Port (Cloning/Firmware Updates/Multimedia Use)	Yes, 2
RF Input	Yes
HDMI/HDCP Input	Yes, 2
CCI	Yes
MTI/SmartPort	Yes
DVD Module Port	Yes
Pillow Speaker I/O	Yes, 3 conductor 1/4" female
Ethernet	Yes
WiFi	Yes

POWER & POWER-SAVING FEATURES

Power Source	120V +/-15%, 60Hz
Inactive Power Off	Configurable Timer
Hardwired Power Cord	Yes, 55" Only

CERTIFICATIONS

UL/cUL 60065, Annex Q	Yes
FCC Title 47 Part 15	Yes
RoHS	Yes

Compatible with leading interactive patient software systems*



*Some interactive software may require an external device.